

MANAGEMENT INFORMATION SYSTEMS 8/E
Raymond McLeod, Jr. and George Schell

Fundamentals of
Computer Processing

Computing History

- ENIAC - 1946
- UNIVAC I
 - First sold in 1956 to Census Bureau
- IBM System 360 Line of Computers
 - 1960's
 - Revolutionized computing
 - 1954 -- first computer installed in a business (another UNIVAC I at GE)

Computing History

- Early 1970s -- minicomputers
- Late 1970s -- microcomputers (TRS-80, Commodore PET)
- IBM PC
 - 1982

Computer Sizes

- Mainframes
 - Large
 - Centrally located
 - Used by large organizations
- Minicomputers
 - Mid-sized
 - Today's server market descended from these machines


Computer Sizes [cont.]

- Microcomputers
 - Made possible by microprocessor
 - PC -- used by one person, or by a few people in the same area

Literacy

- Computer Literacy
 - Ability to use computing resources
- Information Literacy
 - Understanding how and why information affects the decision-making process

The Computer Schematic



Processors

- Main unit where processing is performed
 - Called CPU
 - Microcomputer CPUs called microprocessors
- Speed
 - Moore's Law
 - Megahertz (MHz)
 - Word Size

Memory

- Main memory
 - Storage area where both data being processed and program instructions being executed are stored
- Storage (secondary)
 - Magnetized coding on the surface of a storage device

Bits and Bytes

- One kilobyte (1KB)
 - 2^{10} bytes (1,024)
- One megabyte (1MB)
 - 2^{20} bytes (1,048,576)
- One gigabyte (1GB)
 - 2^{30} bytes (1,073,741,924)

Different Memory Types

- RAM - Random access memory
 - Computer programs and data are loaded into RAM to be executed by the computer processor
- ROM - Read-only memory
 - Information used by the operating system and processor when the computer is started
- DRAM - Dynamic RAM
 - Allows buffering of data and increases efficiency of RAM

Different Memory Types (cont.)

- SDRAM - Synchronous DRAM
 - Runs much faster than most conventional memory because it synchronizes its cycles with the processor's cycles
- SIMM - Single in-line memory module
 - Holds 9 memory chips and transmits 32 bits of data per cycle
- DIMM - Dual in-line memory module
 - Transmits 64 bits per data cycle

Storage Devices

- Tape or disk drive
- Sequential storage
- Random storage
- High Capacity
 - DVD, CD-ROM, CD-RW, Zip, Jaz

Removable Disks and their Storage Capacities

3.5 inch floppy disks holds 1.44 MB of data
Zip disk may hold 100MB or 250MB of data
Jaz disk holds 2GB of data
CD disk holds 650MB of data
DVD disk holds 5GB to 20GB of data


Input Devices

- Keyboards
- Microphones
- Machine-captured data
 - Scanners/barcodes
 - Cost benefits


Output Devices

- Displayed
 - Monitor
 - Resolution
 - Pixals
 - GUI
 - CGA, EGA, VGA, SVGA
- Printed
 - Speed
 - Quality
 - Impact/nonimpact


Means of Producing Computer Output




Displayed
Output
Devices




Printers



Speech
Output
Devices




Plotters



Microfilm

Printers



Multimedia

- Use of more than one media at one time
 - Image
 - Video
 - Audio
- Pointing devices
- Speech synthesis
- Animated images

Hardware Changes

- Power compared to price doubles every 18 months
- Cultivate new information about computing resources
 - Trade journals
 - Professional societies
 - Continuing education
 - WWW

Software

- Two main types of software -- system and application
- System
 - Performs fundamental tasks that all users of a particular computer require
- Application
 - Processes user's data

Three Main System Software Types

- Operating system
 - Manages computer's processes
 - Schedule tasks
 - Manage hardware and software resources
 - Maintain system security
 - Enable sharing
 - Handle Interrupts


Three Main System Software Types(cont.)

- Utilities
 - Routine that enables the user to perform certain basic data processing activities
 - Copy, erase, sort, merge, et cetera
- Language translators
 - Change programmer instructions into computer instructions
 - Highest form for translation is a natural language

System Software Types (cont.)

- Fourth generation languages
 - Called 4GL
 - Describes what is to be done by computer
 - Does not describe explicitly how it will be done
 - DBMSs are related to this area
 - SQL
 - Query language
 - SPSS

The Program is Translated Before the Data is Processed



Application Software

- Prewritten software
 - Standardized by business function
 - Also called packaged application software and off-the-shelf application software
 - Advantages
 - Available now
 - Less expensive

Application Software (cont.)

- Custom software
 - Best for unique business operations
 - Far less is created today because of wide availability
 - Programmer salaries have risen

Role of User-Friendly Software

- Businesses need programmers to create applications
 - Employees
 - Consultants
 - Contracts with other companies
- Simple intuitive software is user-friendly
- Business users have expertise in their areas
 - Need to work with technical experts

Software Change

- Software changes almost as rapidly as hardware
 - IS professionals are routinely contacted concerning system updates
 - Professional societies and conferences
- Changes in business needs

Summary

- Hardware
 - Processor, memory, storage
 - Input, manipulation, output
- Software
 - Systems
 - Application
- Rapid changes